236\_004\_SDB.pdf



## **TENDER FRUITS DUET**

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 4/1/2015 Revision date: 5/12/2021 Supersedes version of: 9/1/2017 Version: 3.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

Product name	: TENDER FRUITS DUET
UFI	: S41Q-E8UW-950Y-SFUY
Product code	: 1832475
Vaporizer	: Aerosol
SKU #	: 1910756

#### **1.2.** Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category	
Use of the substance/mixture	

Professional useAir care productsOdour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Newell Europe Sàrl Chemin de Blandonnet 8 CH-1214 Vernier - Switzerland T +44(0)870 5686824 SDS.RCP@newellco.com

#### Other

Newell Poland Services, Poznan 61-894, Poland Newell Rubbermaid UK Services, Lichfield, Staffs, WS13 8SS, UK www.rubbermaid.eu

#### 1.4. Emergency telephone number

#### Emergency number

: +44(0)870 5686824

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	
United Kingdom	National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital	Penarth CF64 2XX Cardiff	0344 892 0111	
United Kingdom	National Poisons Information Service Edinburgh Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA Edinburgh	0344 892 0111	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

( 	(Newcastle Centre)	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0344 892 0111	
-------	--------------------	---	---------------	--

## **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1	H222;H229
Serious eye damage/eye irritation, Category 2	H319
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412
Full text of H- and EUH-statements: see section 16	

#### Adverse physicochemical, human health and environmental effects

No additional information available

2. Label elements			
	2 2 Label	alamanta	

Labellin	g according	g to Reg	gulation (	EC)	) No.	1272/2008	[CLP]	
----------	-------------	----------	------------	-----	-------	-----------	-------	--

Hazard pictograms (CLP)	
	GHS02 GHS07
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H222 - Extremely flammable aerosol.
	H229 - Pressurised container: May burst if heated.
	H319 - Causes serious eye irritation.
	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P211 - Do not spray on an open flame or other ignition source.
	P251 - Do not pierce or burn, even after use.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C, 122 °F.
	P501 - Dispose of container to an approved waste disposal plant.
EUH-statements	<ul> <li>EUH208 - Contains hexyl 2-hydroxybenzoate, BENZYL SALICYLATE, HEXYL CINNAMAL,</li> <li>4-TERTIARY-BUTYLCYCLOHEXYL ACETATE, ACETYL CEDRENE, TETRAMETHYL</li> <li>ACETYLOCTAHYDRONAPHTHALENES. May produce an allergic reaction.</li> </ul>

#### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

#### Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	10 – 20	Flam. Liq. 2, H225
ISOPROPYL ALCOHOL	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	1 – 10	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Eye Irrit. 2, H319 STOT SE 3, H336
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES	(CAS-No.) 54464-57-2 (EC-No.) 259-174-3 (REACH-no) 01-2119489989-04	0.1 – 1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410
hexyl 2-hydroxybenzoate	(CAS-No.) 6259-76-3 (EC-No.) 228-408-6 (REACH-no) 01-2119638275-36	0.1 – 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
HEXAMETHYLINDANOPYRAN	(CAS-No.) 1222-05-5 (EC-No.) 214-946-9 (EC Index-No.) 603-212-00-7 (REACH-no) 01-2119488227-29	0.1 – 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
HEXYL CINNAMAL	(CAS-No.) 101-86-0 (EC-No.) 202-983-3 (REACH-no) 01-2119533092-50	0.1 – 1	Skin Irrit. 2, H315 Skin Sens. 1, H317
BENZYL SALICYLATE	(CAS-No.) 118-58-1 (EC-No.) 204-262-9 (REACH-no) 01-2119969442-31	0.1 – 1	Skin Sens. 1, H317
4-TERTIARY-BUTYLCYCLOHEXYL ACETATE	(CAS-No.) 32210-23-4 (EC-No.) 250-954-9 (REACH-no) 01-2119976286-24	0.1 – 1	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
ETHYL TRIMETHYLCYCLOPENTENE BUTENOL	(CAS-No.) 28219-61-6 (EC-No.) 248-908-8	0.1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
ACETYL CEDRENE	(CAS-No.) 32388-55-9 (EC-No.) 251-020-3 (REACH-no) 01-2119969651-28	0.1 – 1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	( 50 ≤C < 100) Eye Irrit. 2, H319

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Cough. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects after inhalation Symptoms/effects after eye contact	<ul><li>Shortness of breath.</li><li>Causes serious eye irritation.</li></ul>

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Foam. Dry powder. Carbon dioxide. Water spray. Sand.</li><li>Do not use a heavy water stream.</li></ul>
5.2. Special hazards arising from the subs	stance or mixture
Fire hazard Explosion hazard	<ul> <li>Extremely flammable aerosol.</li> <li>Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.</li> </ul>
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipr	nent and emergency procedures	
General measures	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment Emergency procedures	<ul><li>Equip cleanup crew with proper protection.</li><li>Ventilate area.</li></ul>	
6.2. Environmental precautions		

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed Precautions for safe handling Hygiene measures	<ul> <li>Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> </ul>	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures Storage conditions	<ul> <li>Comply with applicable regulations.</li> <li>Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/122 °F.</li> </ul>	
Incompatible products Incompatible materials	<ul><li>Strong bases. Strong acids.</li><li>Sources of ignition. Direct sunlight. Heat sources.</li></ul>	
7.3. Specific end use(s)		

No additional information available

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

ISOPROPYL ALCOHOL (67-63-0)	
United Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol
WEL TWA (OEL TWA) [1]	999 mg/m³
WEL TWA (OEL TWA) [2]	400 ppm
WEL STEL (OEL STEL)	1250 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Ethanol (64-17-5)	
United Kingdom - Occupational Exposure Limits	
Local name	Ethanol
WEL TWA (OEL TWA) [1]	1920 mg/m³
WEL TWA (OEL TWA) [2]	1000 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### 8.2.2.1. Eye and face protection

Eye protection:
None under normal use

#### 8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

Respiratory protection:	
None under normal use	

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state Appearance	: Liquid : clear. Transparent.
Colour	colourless to slightly yellow.
Odour	: characteristic.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapour pressure	: 3.5 – 4.5 bar
Relative vapour density at 20 °C	: No data available
Relative density	: 0.619 – 0.645
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 1.8 – 19 vol %

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### **10.2. Chemical stability**

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

**10.5. Incompatible materials** 

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

11.1 Information on toxicologica	leffects
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

LD50 oral rat > 5000 mg/kg	hexyl 2-hydroxybenzoate (6259-76-3)	
	LD50 oral rat	> 5000 mg/kg

HEXYL CINNAMAL (101-86-0)	
LD50 oral	> 2450 mg/kg bodyweight
LD50 dermal	> 3000 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	> 5000 mg/l

4-TERTIARY-BUTYLCYCLOHEXYL ACETATE (32210-23-4)	
LD50 oral rat	≈ 250 mg/kg

ACETYL CEDRENE (32388-55-9)	
LD50 oral rat	≈ 5200 mg/kg
LD50 dermal rabbit	≈ 500 mg/kg

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ISOPROPYL ALCOHOL (67-63-0)	
LD50 oral rat	2000 mg/kg
LD50 oral	4396 mg/kg bodyweight
LD50 dermal rat	2000 mg/kg
LD50 dermal	12800 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	46600 mg/l

Ethanol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 oral	10470 mg/kg bodyweight
LD50 dermal rabbit	> 16000 mg/kg
LD50 dermal	15800 mg/kg bodyweight
LC50 Inhalation - Rat	> 20 mg/l/4h
LC50 Inhalation - Rat (Dust/Mist)	> 99999 mg/l

Skin corrosion/irritation Additional information Serious eye damage/irritation Respiratory or skin sensitisation Additional information Germ cell mutagenicity Additional information Carcinogenicity	<ul> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Causes serious eye irritation.</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> </ul>
Additional information Reproductive toxicity Additional information STOT-single exposure Additional information	<ul> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> </ul>

ISOPROPYL ALCOHOL (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
TENDER FRUITS DUET	

Vaporizer	Aerosol
Potential adverse human health effects and	: Based on available data, the classification criteria are not met

symptoms

 SECTION 12: Ecological information

 12.1. Toxicity

 Ecology - water
 : Harmful to aquatic life with long lasting effects.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazardous to the aquatic environment, short-term	: Not classified
(acute)	
Hazardous to the aquatic environment, long-term	: Harmful to aqu
(chronic)	

m : Harmful to aquatic life with long lasting effects.

HEXYL CINNAMAL (101-86-0)	
LC50 - Fish [1]	1.7 mg/l
EC50 - Other aquatic organisms [2]	> 0.32 mg/l

ISOPROPYL ALCOHOL (67-63-0)	
LC50 - Fish [1]	100 mg/l
EC50 - Crustacea [1]	100 mg/l
EC50 - Other aquatic organisms [1]	13299 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 1000 mg/l

Ethanol (64-17-5)	
LC50 - Fish [1]	13000 mg/l
EC50 - Crustacea [1]	9300 mg/l
EC50 - Other aquatic organisms [1]	5012 mg/l waterflea
EC50 - Other aquatic organisms [2]	275 mg/l

### 12.2. Persistence and degradability

# TENDER FRUITS DUET Persistence and degradability May cause long-term adverse effects in the environment.

	Persistence and degradability	Not ostablished
	Ethanol (64-17-5)	
1		·

Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
TENDER FRUITS DUET	
Bioaccumulative potential	Not established.

HEXYL CINNAMAL (101-86-0)	
Partition coefficient n-octanol/water (Log Pow) 5.3	

ISOPROPYL ALCOHOL (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05

Ethanol (64-17-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.32
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## 12.6. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations	;
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.
Additional information	: Flammable vapours may accumulate in the container.
Ecology - waste materials	: Avoid release to the environment.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

14.1 UN number	
UN-No. (ADR)	: UN 1950
UN-No. (IMDG)	: UN 1950
UN-No. (IATA)	: UN 1950
UN-No. (ADN)	: UN 1950
UN-No. (RID)	: UN 1950
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: AEROSOLS
Proper Shipping Name (IMDG)	: AEROSOLS
Proper Shipping Name (IATA)	: Aerosols, flammable
Proper Shipping Name (ADN)	: AEROSOLS
Proper Shipping Name (RID)	: AEROSOLS
Transport document description (ADR)	: UN 1950 AEROSOLS, 2.1, (D)
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1
Transport document description (IATA)	: UN 1950 Aerosols, flammable, 2.1
Transport document description (ADN)	: UN 1950 AEROSOLS, 2.1
Transport document description (RID)	: UN 1950 AEROSOLS, 2.1
14.3. Transport hazard class(es)	

<b>ADR</b> Transport hazard class(es) (ADR) Danger labels (ADR)	: 2.1 : 2.1
IMDG Transport hazard class(es) (IMDG) Danger labels (IMDG)	: 2.1 : 2.1
IATA Transport hazard class(es) (IATA)	: 2.1

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Danger labels (IATA)	: 2.1
	2
ADN	•
Transport hazard class(es) (ADN)	: 2.1
Danger labels (ADN)	: 2.1
	:
RID	: 2.1
Transport hazard class(es) (RID) Danger labels (RID)	: 2.1
c , ,	
	2
	•
14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG) Packing group (IATA)	: Not applicable : Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR)	
Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR)	<ul> <li>: 190, 327, 344, 625</li> <li>: 11</li> <li>: E0</li> <li>: P207, LP02</li> </ul>
Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR)	<ul> <li>190, 327, 344, 625</li> <li>11</li> <li>E0</li> <li>P207, LP02</li> <li>PP87, RR6, L2</li> </ul>
Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR)	<ul> <li>190, 327, 344, 625</li> <li>11</li> <li>E0</li> <li>P207, LP02</li> <li>PP87, RR6, L2</li> <li>MP9</li> </ul>
Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR)	<ul> <li>190, 327, 344, 625</li> <li>11</li> <li>E0</li> <li>P207, LP02</li> <li>PP87, RR6, L2</li> </ul>
Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Loading, unloading	<ul> <li>: 190, 327, 344, 625</li> <li>: 11</li> <li>: E0</li> <li>: P207, LP02</li> <li>: PP87, RR6, L2</li> <li>: MP9</li> <li>: 2</li> <li>: V14</li> </ul>
Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Loading, unloading and handling (ADR)	<ul> <li>190, 327, 344, 625</li> <li>11</li> <li>E0</li> <li>P207, LP02</li> <li>PP87, RR6, L2</li> <li>MP9</li> <li>2</li> <li>V14</li> <li>CV9, CV12</li> </ul>
Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Loading, unloading and handling (ADR) Special provisions for carriage - Operation (ADR)	<ul> <li>190, 327, 344, 625</li> <li>11</li> <li>E0</li> <li>P207, LP02</li> <li>PP87, RR6, L2</li> <li>MP9</li> <li>2</li> <li>V14</li> <li>CV9, CV12</li> <li>\$2</li> </ul>
Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Loading, unloading and handling (ADR) Special provisions for carriage - Operation (ADR) Tunnel restriction code (ADR)	<ul> <li>190, 327, 344, 625</li> <li>11</li> <li>E0</li> <li>P207, LP02</li> <li>PP87, RR6, L2</li> <li>MP9</li> <li>2</li> <li>V14</li> <li>CV9, CV12</li> </ul>
Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Loading, unloading and handling (ADR) Special provisions for carriage - Operation (ADR)	<ul> <li>: 190, 327, 344, 625</li> <li>: 11</li> <li>: E0</li> <li>: P207, LP02</li> <li>: PP87, RR6, L2</li> <li>: MP9</li> <li>: 2</li> <li>: V14</li> <li>: CV9, CV12</li> <li>: S2</li> </ul>
Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Loading, unloading and handling (ADR) Special provisions for carriage - Operation (ADR) Tunnel restriction code (ADR) <b>Transport by sea</b> Special provisions (IMDG) Limited quantities (IMDG)	<ul> <li>190, 327, 344, 625</li> <li>11</li> <li>E0</li> <li>P207, LP02</li> <li>PP87, RR6, L2</li> <li>MP9</li> <li>2</li> <li>V14</li> <li>CV9, CV12</li> <li>S2</li> <li>D</li> <li>63, 190, 277, 327, 344, 959</li> <li>SP277</li> </ul>
Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Loading, unloading and handling (ADR) Special provisions for carriage - Operation (ADR) Tunnel restriction code (ADR) <b>Transport by sea</b> Special provisions (IMDG) Limited quantities (IMDG)	<ul> <li>190, 327, 344, 625</li> <li>11</li> <li>E0</li> <li>P207, LP02</li> <li>PP87, RR6, L2</li> <li>MP9</li> <li>2</li> <li>V14</li> <li>CV9, CV12</li> <li>S2</li> <li>D</li> <li>63, 190, 277, 327, 344, 959</li> <li>SP277</li> <li>E0</li> </ul>
Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Loading, unloading and handling (ADR) Special provisions for carriage - Operation (ADR) Tunnel restriction code (ADR) <b>Transport by sea</b> Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG)	<ul> <li>190, 327, 344, 625</li> <li>11</li> <li>E0</li> <li>P207, LP02</li> <li>PP87, RR6, L2</li> <li>MP9</li> <li>2</li> <li>V14</li> <li>CV9, CV12</li> <li>S2</li> <li>D</li> <li>63, 190, 277, 327, 344, 959</li> <li>SP277</li> <li>E0</li> <li>P207, LP02</li> </ul>
Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Loading, unloading and handling (ADR) Special provisions for carriage - Operation (ADR) Tunnel restriction code (ADR) <b>Transport by sea</b> Special provisions (IMDG) Limited quantities (IMDG)	<ul> <li>190, 327, 344, 625</li> <li>11</li> <li>E0</li> <li>P207, LP02</li> <li>PP87, RR6, L2</li> <li>MP9</li> <li>2</li> <li>V14</li> <li>CV9, CV12</li> <li>S2</li> <li>D</li> <li>63, 190, 277, 327, 344, 959</li> <li>SP277</li> <li>E0</li> </ul>

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Stowage category (IMDG)	: None
Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167
ERG code (IATA)	: 10L
Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 19, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading	: CW9, CW12
and handling (RID)	
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information			
Indication of char	nges:		
Section	Changed item	Change	Comments
	Revision date	Added	
1.3	SDS address	Modified	
2.2	Precautionary statements (CLP)	Modified	

Data sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

Other information

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aerosol 1	Aerosol, Category 1	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH208	Contains hexyl 2-hydroxybenzoate, BENZYL SALICYLATE, HEXYL CINNAMAL, 4-TERTIARY- BUTYLCYCLOHEXYL ACETATE, ACETYL CEDRENE, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES. May produce an allergic reaction.	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### SDS EU NWL 2021

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.