

Trade name: Refill for Whiteboard Marker

Product no.: MWR1 Ink for Whiteboard Marker Black

Current version: 3.0.0. issued: 17.12.2015 Replaced version: 2.0.0. issued: 18.04.2012 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name

Refill for Whiteboard Marker

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Ink for stationery products

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Pentel Bürobedarf-Handelsgesellschaft mbH

Lademannbogen 143 22339 Hamburg

GERMANY

+49 (0) 40 / 53 80 91 - 0 Telephone no. +49 (0) 40 / 53 85 58 - 7 Fax no.

Information provided by / telephone

+49 (0) 40 / 53 80 91 - 0

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 **Emergency telephone number**

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Irrit. 2; H319 Flam. Liq. 2; H225 STOT SE 3: H336

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

<u>Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)</u>

Hazard pictograms







Signal word

Danger

Hazardous component(s) to be indicated on label:

propan-2-ol



Trade name: Refill for Whiteboard Marker

Product no.: MWR1 Ink for Whiteboard Marker Black

Current version: 3.0.0, issued: 17.12.2015 Replaced version: 2.0.0, issued: 18.04.2012 Region: GB

Hazard statements

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P271 Use only outdoors or in a well-ventilated area.

P370+P378 In case of fire: Use sand, fire powder, carbon dioxide or foam for extinction.

P405 Store locked up.

P501 Dispose of contents / container in accordance with local / regional / national / international

regulations.

Labelling information

The data subject of this Material Safety Data sheet refer to the ink contained in this product (marker).

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additional information			
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1	ethanol					
	64-17-5	Flam. Liq. 2; H225	>	30.00 - <	50.00	%-b.w.
	200-578-6					
	603-002-00-5					
	-					
2	propan-2-ol					
	67-63-0	Eye Irrit. 2; H319	>	30.00 - <	50.00	%-b.w.
	200-661-7	Flam. Liq. 2; H225				
	603-117-00-0	STOT SE 3; H336				
	-					
3	CARBON BLACK					
	1333-86-4	-	>	1.00 - <	5.00	%-b.w.
	215-609-9					
	-					
	-					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water. Do NOT use solvents or thinners.



Trade name: Refill for Whiteboard Marker

Product no.: MWR1 Ink for Whiteboard Marker Black

Current version: 3.0.0, issued: 17.12.2015 Replaced version: 2.0.0, issued: 18.04.2012 Region: GB

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical assistance.

After ingestion

Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam; Extinguishing powder; Carbon dioxide; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet. Suppress gases/vapours/mists with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Keep away sources of ignition. Do not inhale vapours. Avoid contact with skin, eyes and clothing.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Product inherent handling risks must be minimised taking the appropriate measures for protection and preventive actions. The working process should be designed to rule out the release of hazardous substances or skin contact as far it is possible by the state of the art.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Clean skin thoroughly after work; apply skin cream.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition.



Trade name: Refill for Whiteboard Marker

Product no.: MWR1 Ink for Whiteboard Marker Black

Current version: 3.0.0, issued: 17.12.2015 Replaced version: 2.0.0, issued: 18.04.2012 Region: GB

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original one.

Advice on storage assembly

None known

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.		
1	ethanol	64-17-5		200-578-6		
	List of approved workplace exposure limits (WELs) / EH40					
	Ethanol					
	TWA	1920	mg/m³	1000	ml/m³	
2	propan-2-ol	67-63-0		200-661-7		
	List of approved workplace exposure limits (WELs) / EH40					
	Propan-2-ol					
	STEL	1250	mg/m³	500	ml/m³	
	TWA	999	mg/m³	400	ml/m³	
3	CARBON BLACK	1333-86-4		215-609-9		
	List of approved workplace exposure limits (WELs) / EH40					
	Carbon black					
	STEL	7	mg/m³			
	TWA	3.5	mg/m³			

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.



Trade name: Refill for Whiteboard Marker

Product no.: MWR1 Ink for Whiteboard Marker Black

Current version: 3.0.0, issued: 17.12.2015 Replaced version: 2.0.0, issued: 18.04.2012 Region: GB

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Formivolour liquid black Odour Alkohol-like Odour threshold No data available PH value No data available Boiling point / boiling range Value 78 °C Melting point / melting range No data available Decomposition point / decomposition range No data available Flash point Value 14.0 °C Auto-ignition temperature No data available Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Upper flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour density No data available Vapour density No data available Evaporation rate No data available No data available Evaporation rate No data available Evaporation rate No data available Evaporation rate No data available Eva	E	 	
Diack	Form/Colour		
Odour threshold No data available PH value No data available Boiling point / boiling range Value No data available Boiling point / melting range Value 78 °C Melting point / melting range No data available Decomposition point / decomposition range No data available Fiash point Value 14.0 °C Auto-ignition temperature No data available Oxidising properties No data available Explosive properties No data available Fiammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour density No data available Vapour density No data available Vapour density No data available Evaporation rate			
alkohol-like Cdour threshold No data available PH value No data available Boiling point / boiling range Value 78 °C Melting point / melting range No data available Decomposition point / decomposition range No data available Flash point Value 14.0 °C Auto-ignition temperature No data available Coxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Upper flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour gressure No data available Vapour density No data available Vapour density No data available Vapour density No data available Evaporation rate			
Odour threshold No data available pH value No data available Boiling point / boiling range Value 78 °C Melting point / melting range No data available Decomposition point / decomposition range No data available Flash point Value 14.0 °C Auto-ignition temperature No data available Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Upper flammability or explosive limits No data available Upper flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour pressure No data available Vapour density No data available Evaporation rate			
No data available PH value No data available Pi value 78 °C	aikonoi-iike		
Decomposition point / boiling range 78 °C			
No data available Soling point / boiling range Yalue 78 °C	No data available		
No data available Soling point / boiling range Yalue 78 °C	pH value		
Value			
Value	Boiling point / boiling range		
Melting point / melting range No data available Decomposition point / decomposition range No data available Flash point Value 14.0 °C Auto-ignition temperature No data available Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour pressure No data available Vapour pressure No data available Vapour data available Vapour data available	Value	78	°C
No data available Decomposition point / decomposition range			-
Decomposition point / decomposition range No data available Flash point Value 14.0 °C Auto-ignition temperature No data available Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour density No data available Vapour density No data available Evaporation rate	Melting point / melting range		
No data available Flash point Value 14.0 °C Auto-ignition temperature No data available Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour density No data available Vapour density No data available Evaporation rate			
Flash point Value 14.0 °C Auto-ignition temperature No data available Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour density No data available Vapour density No data available Evaporation rate			
Value 14.0 °C Auto-ignition temperature No data available Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour density No data available Vapour density No data available Evaporation rate	No data available		
Auto-ignition temperature No data available Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour density No data available Vapour density No data available Evaporation rate			
No data available Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour density No data available Evaporation rate	Value	14.0	°C
No data available Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour density No data available Evaporation rate	Auto-ignition temperature		
No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour density No data available Evaporation rate	No data available		
No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour density No data available Evaporation rate	Ovidicing proportion		
Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour density No data available Evaporation rate	No data available		
No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour density No data available Evaporation rate			
Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour density No data available Evaporation rate	No data evailable		
No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour density No data available Evaporation rate			
Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour density No data available Evaporation rate	Flammability (solid, gas)		
No data available Upper flammability or explosive limits No data available Vapour pressure No data available Vapour density No data available Evaporation rate	No data available		
Upper flammability or explosive limits No data available Vapour pressure No data available Vapour density No data available Evaporation rate	Lower flammability or explosive limits		
No data available Vapour pressure No data available Vapour density No data available Evaporation rate	No data available		
No data available Vapour pressure No data available Vapour density No data available Evaporation rate	Upper flammability or explosive limits		
No data available Vapour density No data available Evaporation rate	No data available		
No data available Vapour density No data available Evaporation rate	Vanour pressure		
Vapour density No data available Evaporation rate			
No data available Evaporation rate			
Evaporation rate			
l No data available			
	No data available		
Relative density	Relative density		
No data available	No data available		
Density	Density		
Value 0.80 g/cm ³	Value	0.80	g/cm³
Reference temperature 20 °C	Reference temperature		°C



Trade name: Refill for Whiteboard Marker

Product no.: MWR1 Ink for Whiteboard Marker Black

Current version: 3.0.0, issued: 17.12.2015 Replaced version: 2.0.0, issued: 18.04.2012 Region: GB

Solubility in water	
No data available	

Solubility(ies)
No data available

Partition coefficient: n-octanol/water

No data available

Viscosity

Value
Reference temperature
Type

Viscosity

6.5 mPa*s
20 °C
dynamic

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

No data available.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Protect from sun.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Trade name: Refill for Whiteboard Marker

Product no.: MWR1 Ink for Whiteboard Marker Black

Current version: 3.0.0, issued: 17.12.2015 Replaced version: 2.0.0, issued: 18.04.2012 Region: GB

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

No data available

Acute dermal toxicity

No data available

Acute inhalational toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Reproduction toxicity

No data available

Carcinogenicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration hazard

No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Inhalation of solvent vapours in higher concentration may lead to nausea, headache, drowsiness and dizziness. Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin. Irritating to eyes.



Trade name: Refill for Whiteboard Marker

Product no.: MWR1 Ink for Whiteboard Marker Black

Current version: 3.0.0, issued: 17.12.2015 Replaced version: 2.0.0, issued: 18.04.2012 Region: GB

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)

No data available

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No data available

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)

No data available

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information

Ecological data are not available.

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.



Trade name: Refill for Whiteboard Marker

Product no.: MWR1 Ink for Whiteboard Marker Black

Current version: 3.0.0, issued: 17.12.2015 Replaced version: 2.0.0, issued: 18.04.2012 Region: GB

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 3 Classification code F1 Packing group Ш Hazard identification no. 33 **UN** number UN1263 Technical name **PAINT** Special Provision 640 640D Tunnel restriction code D/E Label 3

14.2 Transport IMDG

 Class
 3

 Packing group
 II

 UN number
 UN1263

 Proper shipping name
 PAINT

 EmS
 F-E+S-E

 Label
 3

14.3 Transport ICAO-TI / IATA

Class 3
Packing group II
UN number UN1263
Proper shipping name Paint
Label 3

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe

No. 3, 40

XVII.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is subject to Part I of Annex I, risk category: P5b



Trade name: Refill for Whiteboard Marker

Product no.: MWR1 Ink for Whiteboard Marker Black

Current version: 3.0.0, issued: 17.12.2015 Replaced version: 2.0.0, issued: 18.04.2012 Region: GB

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Department issuing safety data sheet

UMCO Umwelt Consult GmbH

Georg-Wilhelm-Str. 183, 21107 Hamburg, Germany

Tel.: +49 40 / 79 02 36 300 Fax: +49 40 / 79 02 36 357 e-mail: umco@umco.de

This information is based on our present state of knowledge and experience.

The security data sheet describes products with a view to the security requirements.

However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO Umwelt Consult GmbH.